SUBJECT INDEX

Acids

Field-Scale Observations of Arsenic and Boron in Soil Irrigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

Adjustment

Adjusting Temperature Parameters to Reflect Well-Watered Conditions, B. Temesgen, R. G. Allen and D. T. Jensen, IR Jan./Feb. 99, p26-33.

Adsorption

Field-Scale Observations of Arsenic and Boron in Soil Irrigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

Advection

Solute Transport Modeling in Overland Flow Applied to Fertigation, P. García-Navarro, E. Playán and N. Zapata, IR Jan./Feb. 00, p33-40.

Africa

Water Distribution Management in Small West African Canal Systems, W. Ray Norman, M. Todd Walter, Michael F. Walter and Erin S. Brooks, IR Sept./Oct. 00, p304-313.

Agriculture

Problems of Irrigation in Developing Countries, Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6.

Air temperature

Adjusting Temperature Parameters to Reflect Well-Watered Conditions, B. Temesgen, R. G. Allen and D. T. Jensen, IR Jan./Feb. 99, p26-33.

Analysis

Inlet Pressure for Horizontal Tapered Laterals, Arif A. Anwar, IR Jan./Feb. 00, p57-63.

Anisotropic soils

Numerical Solution of 2D Free Surface Flow to Ditch Drains in Anisotropic Soils, Vinod Kumar, C. S. Jaiswal and H. S. Chauhan, IR July/Aug. 00, p250-254.

Application methods

Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

Approximation methods

Approximating Wetted Perimeter in Power-Law Cross Section, T. S. Strelkoff and A. J. Clemmens, IR Mar./Apr. 00, p98-109.

Aquifers

Influence Zone of Recharging-Dewatering Actions in Unconfined Aquifer, R. Revelli and L. Ridolfi, IR Mar./Apr. 00, p110-112.

Simple Approximation for Flowing Well Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p65-67.

Solution for a Stream Depletion Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00, p125-126.

Transient Ditch Drainage of Two-Layered Soil, H. C. Sharma, P. N. Kapoor and H. S. Chauhan, IR Jan./Feb. 00, p14-20.

Arid lands

Adjusting Temperature Parameters to Reflect Well-Watered Conditions, B. Temesgen, R. G. Allen and D. T. Jensen, IR Jan./Feb. 99, p26-33.

Arsenic

Field-Scale Observations of Arsenic and Boron in Soil Irrigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

Artesian aquifers

Simple Method for Confined-Aquifer Parameter Estimation, Sushil K. Singh, IR Nov./Dec. 00, p404-407.

ASCE Awards & Prizes

Editorial, J. C. Guitjens, P.E., IR May/June 00, p141.

ASCE Committees

Editorial, J. C. Guitjens, IR July/Aug. 00, p205.

ASCE Publications

Editorial, J. C. Guitjens, P.E., IR May/June 00, p141.

Editorial, J. C. Guitjens, IR July/Aug. 00, p205.

Journal Needs More New Referees, John C. Guitjens, IR Mar./Apr. 00, p77.

Australia

Border Irrigation Field Experiment. I: Water Balance, Mathew Gilfedder, Luke D. Connell and Russell G. Mein, IR Mar./Apr. 00, p85-91.

Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G. Mein and Luke D. Connell, IR Mar./Apr. 00, p92-97.

Autocorrelation

Time Series Modeling for Predicting Spatially Variable Infiltration, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Sept./Oct. 00, p283-287.

Basins

Water Reuse in Sequential Basin Irrigation, N. Zapata, E. Playán and J. M. Faci, IR Nov./Dec. 00, p362-370.

Bends, hydraulic

Supercritical Flow in Bend Manhole, Giuseppe Del Giudice, Corrado Gisonni and Willi H. Hager, IR Jan./Feb. 00, p48-56.

Border irrigation

Border Irrigation Field Experiment. I: Water Balance, Mathew Gilfedder, Luke D. Connell and Russell G. Mein, IR Mar./Apr. 00, p85-91.

Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G. Mein and Luke D. Connell, IR Mar./Apr. 00, p92-97.

Estimation of Surface Volume in Hydrological Models for Border Irrigation, Joaquín Monserrat and Javier Barragán, IR Sept./Oct. 98, p238-247.

Canal design

Comprehensive Design of Minimum Cost Irrigation Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Sept./Oct. 00, p322-327.

Design of Minimum Seepage Loss Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p28-32.

Canals

Approximating Wetted Perimeter in Power-Law Cross Section, T. S. Strelkoff and A. J. Clemmens, IR Mar./Apr. 00, p98-109.

Comprehensive Design of Minimum Cost Irrigation Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Sept./Oct. 00, p322-327.

Optimal Design of Parabolic-Bottomed Triangle Canals, K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov./Dec. 00, p408-411.

Center-pivot irrigation

Correction Factors for Center Pivots with End Guns, Arif A. Anwar, IR Mar./Apr. 00, p113-118.

Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov./Dec. 00, p348-354.

Channels, waterways

Theoretical End-Depth-Discharge Relationship for Free Overfall, Vito Ferro, IR Jan./Feb. 99, p40-44.

Climatic data

Estimating Solar Radiation and Evapotranspiration Using Minimum Climatological Data, Zohrab Samani, IR July/Aug. 00, p265-267.

Climatology

Estimating Solar Radiation and Evapotranspiration Using Minimum Climatological Data, Zohrab Samani, IR July/Aug. 00, p265-267.

Coastal environment

Long-Term Evapotranspiration from Coastal Avocado/Citrus Orchard, Mark E. Grismer, IR Jan./Feb. 00, p1-7.

Coefficients

Estimating Evaporation from Bare or Nearly Bare Soil, R. L. Snyder, K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403.

Combined sewers

Supercritical Flow in Bend Manhole, Giuseppe Del Giudice, Corrado Gisonni and Willi H. Hager, IR Jan./Feb. 00, p48-56.

Cost minimization

Comprehensive Design of Minimum Cost Irrigation Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Sept./Oct. 00, p322-327.

Cracks

Infiltration of Water into Soil with Cracks, V. Novák, J. Šimunek and M. Th. van Genuchten, IR Jan./Feb. 00, p41-47.

Crop production

Evapotranspiration and Crop Coefficients of Wheat and Sorghum Climate in India, N. K. Tyagi, D. K. Sharma and S. K. Luthra, IR July/Aug. 00, p215-222.

Long-Term Evapotranspiration from Coastal Avocado/Citrus Orchard, Mark E. Grismer, IR Jan./Feb. 00, p1-7.

Crops

Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13.

Estimating Evaporation from Bare or Nearly Bare Soil, R. L. Snyder, K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403.

Optimal Irrigation Allocation: A Multilevel Approach, Sabu Paul, Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156.

Plant Water Use and Crop Curves for Hybrid Poplars, David J. Gochis and Richard H. Cuenca, IR July/Aug. 00, p206-214.

Cross sections

Approximating Wetted Perimeter in Power-Law Cross Section, T. S. Strelkoff and A. J. Clemmens, IR Mar./Apr. 00, p98-109.

Optimal Channel Cross Section with Composite Roughness, Amlan Das, IR Jan./Feb. 00, p68-72.

Optimal Design of Parabolic-Bottomed Triangle Canals, K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov./Dec. 00, p408-411.

Desalination

Improving Efficiency of Desalinization with Subsurface Drainage, E. G. Youngs and P. B. Leeds-Harrison, IR Nov./Dec. 00, p375-380.

Developing countries

Problems of Irrigation in Developing Countries, Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6.

Water Planning for Food Production in Developing Countries by Phillip Z. Kirpich, Otto J. Helweg, IR May/June 00, p203.

Dewatering

Influence Zone of Recharging-Dewatering Actions in Unconfined Aquifer, R. Revelli and L. Ridolfi, IR Mar./Apr. 00, p110-112.

Diffusion

Solute Transport Modeling in Overland Flow Applied to Fertigation, P. García-Navarro, E. Playán and N. Zapata, IR Jan./Feb. 00, p33-40.

Dimensional analysis

Simultaneous Flow over and Under a Gate, Vito Ferro, IR May/June 00, p190-193.

Discharge

Correction Factors for Center Pivots with End Guns, Arif A. Anwar, IR Mar./Apr. 00, p113-118.

Simple Approximation for Flowing Well Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p65-67.

Simultaneous Flow over and Under a Gate, Vito Ferro, IR May/June 00, p190-193.

Theoretical End-Depth-Discharge Relationship for Free Overfall, Vito Ferro, IR Jan./Feb. 99, p40-44.

Discharge coefficients

Discharge Characteristics of Skew Sluice Gates, Prabhata K. Swamee, Santosh K. Pathak, Talib Mansoor and Chandra Shekhar P. Ojha, IR Sept./Oct. 00, p328-334.

Discharge measurement

Water Reuse in Sequential Basin Irrigation, N. Zapata, E. Playán and J. M. Faci, IR Nov./Dec. 00, p362-370.

Diversion structures
Hydraulic Performance of Fish Bypass-Pools for Irrigation Diversion Channels, Athanasios N. Papanicolaou and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

Drain tiles
Optimization-Based Simulation and Design of Tile Drainage Systems, Amlan Das, IR Nov./Dec. 00, p381-388.

Drainage
Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G. Mein and Luke D. Connell, IR Mar./Apr. 00, p92-97.

Field-Scale Observations of Arsenic and Boron in Soil Irrigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

Numerical Solution of 2D Free Surface Flow to Ditch Drains in Anisotropic Soils, Vinod Kumar, C. S. Jaiswal and H. S. Chauhan, IR July/Aug. 00, p250-254.

Simulating Spatially Distributed Water and Salt Balances, L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

Drainage systems
Transient Ditch Drainage of Two-Layered Soil, H. C. Sharma, P. N. Kapoor and H. S. Chauhan, IR Jan./Feb. 00, p14-20.

Drains
Circular Isobaric Cavity in Descending Unsaturated Flow, A. R. Kacimov, IR May/June 00, p172-178.

Finite-Element Grid Configurations for Drains, K. C. Tarboton, P.E. and W. W. Wallender, P.E., IR July/Aug. 00, p243-249.

Drawdown
Simple Approximation for Flowing Well Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p65-67.

Simple Method for Confined-Aquifer Parameter Estimation, Sushil K. Singh, IR Nov./Dec. 00, p404-407.

Dynamic programming
Optimal Irrigation Allocation: A Multilevel Approach, Sabu Paul, Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156.

Economic factors
Benefits of Flexible Irrigation Water Supply, Paul R. Cross, P.E., IR Sept./Oct. 00, p275-278.

Efficiency
Optimal Design of Parabolic-Bottomed Triangle Canals, K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov./Dec. 00, p408-411.

Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, D. V. S. Verma and Arun Goel, IR May/June 00, p179-184.

Electrokinetics
Nitrate Electromigration in Sandy Soil: Closed System Response, Naglaa Eid, Donald Slack and Dennis Larson, IR Nov./Dec. 00, p389-397.

Electroosmosis
Nitrate Electromigration in Sandy Soil: Closed System Response, Naglaa Eid, Donald Slack and Dennis Larson, IR Nov./Dec. 00, p389-397.

Elevation
Simulating Elevation and Infiltration in Level-Basin Irrigation, N. Zapata and E. Playán, IR Mar./Apr. 00, p78-84.

Energy dissipation
Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, D. V. S. Verma and Arun Goel, IR May/June 00, p179-184.

Environmental factors
Benefits of Flexible Irrigation Water Supply, Paul R. Cross, P.E., IR Sept./Oct. 00, p275-278.

Equipment
Sprinkler Head Maintenance Effects on Water Application Uniformity, Michael J. Louie and John S. Selker, IR May/June 00, p142-148.

Estimation
A Priori Identifiability of Unsaturated Soil Parameters, M. S. Ghidaoui and K. S. H. Prasad, IR May/June 00, p163-171.

Simple Method for Confined-Aquifer Parameter Estimation, Sushil K. Singh, IR Nov./Dec. 00, p404-407.

Theoretical Justification of SCS Method for Runoff Estimation, Bofu Yu, IR Nov./Dec. 98, p306-310.

Evaporation
Estimating Evaporation from Bare or Nearly Bare Soil, R. L. Snyder, K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403.

Evapotranspiration
Adjusting Temperature Parameters to Reflect Well-Watered Conditions, B. Temesgen, R. G. Allen and D. T. Jensen, IR Jan./Feb. 99, p26-33.

Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13.

Estimating Evaporation from Bare or Nearly Bare Soil, R. L. Snyder, K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403.

Estimating Solar Radiation and Evapotranspiration Using Minimum Climatological Data, Zohrab Samani, IR July/Aug. 00, p265-267.

Estimation of FAO Blaney-Criddle *b* Factor by RBF Network, Slavisa Trajkovic, Miomir Stankovic and Branimir Todorovic, IR July/Aug. 00, p268-270.

Evapotranspiration and Crop Coefficients of Wheat and Sorghum Climate in India, N. K. Tyagi, D. K. Sharma and S. K. Luthra, IR July/Aug. 00, p215-222.

Long-Term Evapotranspiration from Coastal Avocado/Citrus Orchard, Mark E. Grismer, IR Jan./Feb. 00, p1-7.

Plant Water Use and Crop Curves for Hybrid Poplars, David J. Gochis and Richard H. Cuenca, IR July/Aug. 00, p206-214.

Simulating Spatially Distributed Water and Salt Balances, L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

Fertilization
Solute Transport Modeling in Overland Flow Applied to Fertigation, P. García-Navarro, E. Playán and N. Zapata, IR Jan./Feb. 00, p33-40.

Fertilizers
Nitrate Electromigration in Sandy Soil: Closed System Response, Naglaa Eid, Donald Slack and Dennis Larson, IR Nov./Dec. 00, p389-397.

Field investigations
Long-Term Evapotranspiration from Coastal Avocado/Citrus Orchard, Mark E. Grismer, IR Jan./Feb. 00, p1-7.

Finite differences
Numerical Solution of 2D Free Surface Flow to Ditch Drains in Anisotropic Soils, Vinod Kumar, C. S. Jaiswal and H. S. Chauhan, IR July/Aug. 00, p250-254.

Optimization-Based Simulation and Design of Tile Drainage Systems, Amlan Das, IR Nov./Dec. 00, p381-388.

Finite element method
Influence Zone of Recharging-Dewatering Actions in Unconfined Aquifer, R. Revelli and L. Ridolfi, IR Mar./Apr. 00, p110-112.

Finite elements
Finite-Element Grid Configurations for Drains, K. C. Tarboton, P.E. and W. W. Wallender, P.E., IR July/Aug. 00, p243-249.

Fish management
Hydraulic Performance of Fish Bypass-Pools for Irrigation Diversion Channels, Athanasios N. Papanicolaou and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

Flexibility
Benefits of Flexible Irrigation Water Supply, Paul R. Cross, P.E., IR Sept./Oct. 00, p275-278.

Irrigation District Service in Western United States, C. M. Burt and S. W. Styles, IR Sept./Oct. 00, p279-282.

Flood control
Simultaneous Flow over and Under a Gate, Vito Ferro, IR May/June 00, p190-193.

Flood irrigation
Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13.

Flooding
Improving Efficiency of Desalinization with Subsurface Drainage, E. G. Youngs and P. B. Leeds-Harrison, IR Nov./Dec. 00, p375-380.

Flow measurement
Simple Flume for Flow Measurement in Open Channel, Zohrab Samani and Henry Magallanez, IR Mar./Apr. 00, p127-129.

Theoretical End-Depth-Discharge Relationship for Free Overfall, Vito Ferro, IR Jan./Feb. 99, p40-44.

Flow rates
Chebyshev Solution as Aid in Computing GVF by Standard Step Method, Subhasish Dey, IR July/Aug. 00, p271-274.

Flumes
Simple Flume for Flow Measurement in Open Channel, Zohrab Samani and Henry Magallanez, IR Mar./Apr. 00, p127-129.

Fluvial hydraulics
Influence of Stream-Wise Bed Slope on Sediment Threshold under Stream Flow, Subhasish Dey and Koustuv Debnath, IR July/Aug. 00, p255-263.

Food supply
Water Planning for Food Production in Developing Countries by Phillip Z. Kirpich, Otto J. Helweg, IR May/June 00, p203.

Free flow
Discharge Characteristics of Skew Sluice Gates, Prabhata K. Swamee, Santosh K. Pathak, Talib Mansoor and Chandra Shekhar P. Ojha, IR Sept./Oct. 00, p328-334.

Free surfaces
Influence Zone of Recharging-Dewatering Actions in Unconfined Aquifer, R. Revelli and L. Ridolfi, IR Mar./Apr. 00, p110-112.

Friction
Factor G for Pipelines with Equally Spaced Multiple Outlets and Outflow, Arif A. Anwar, IR Jan./Feb. 99, p34-38.

Friction factor
Adjusted Average Correction Factors for Sprinkler Laterals, Arif A. Anwar, IR Sept./Oct. 00, p296-303.

Correction Factors for Center Pivots with End Guns, Arif A. Anwar, IR Mar./Apr. 00, p113-118.

Furrow irrigation
Approximating Wetted Perimeter in Power-Law Cross Section, T. S. Strelkoff and A. J. Clemmens, IR Mar./Apr. 00, p98-109.

Furrow Irrigation Performance under Spatially Varying Conditions, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Nov./Dec. 00, p355-361.

Time Series Modeling for Predicting Spatially Variable Infiltration, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Sept./Oct. 00, p283-287.

Gates
Discharge Characteristics of Skew Sluice Gates, Prabhata K. Swamee, Santosh K. Pathak, Talib Mansoor and Chandra Shekhar P. Ojha, IR Sept./Oct. 00, p328-334.

Simultaneous Flow over and Under a Gate, Vito Ferro, IR May/June 00, p190-193.

Geometry
Furrow Irrigation Performance under Spatially Varying Conditions, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Nov./Dec. 00, p355-361.

Optimal Design of Parabolic-Bottomed Triangle Canals, K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov./Dec. 00, p408-411.

Grains, crops
Evapotranspiration and Crop Coefficients of Wheat and Sorghum Climate in India, N. K. Tyagi, D. K. Sharma and S. K. Luthra, IR July/Aug. 00, p215-222.

Granular materials
Influence of Stream-Wise Bed Slope on Sediment Threshold under Stream Flow, Subhasish Dey and Koustuv Debnath, IR July/Aug. 00, p255-263.

Green-Ampt model
Infiltration of Water into Soil with Cracks, V. Novák, J. Šimunek and M. Th. van Genuchten, IR Jan./Feb. 00, p41-47.

Grid systems
Finite-Element Grid Configurations for Drains, K. C. Tarboton, P.E. and W. W. Wallender, P.E., IR July/Aug. 00, p243-249.

Ground water
Border Irrigation Field Experiment. I: Water Balance, Mathew Gilfedder, Luke D. Connell and Russell G. Mein, IR Mar./Apr. 00, p85-91.

Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G. Mein and Luke D. Connell, IR Mar./Apr. 00, p92-97.

Ground-water recharge

Influence Zone of Recharging-Dewatering Actions in Unconfined Aquifer, R. Revelli and L. Ridolfi, IR Mar./Apr. 00, p110-112.

Head loss

Correction Factors for Center Pivots with End Guns, Arif A. Anwar, IR Mar./Apr. 00, p113-118.

Hydraulic conductivity

Measurement of Subsurface Unsaturated Hydraulic Conductivity, D. F. Holland, M. Yitayew and A. W. Warrick, IR Jan./Feb. 00, p21-27.

Hydraulic design

Optimal Design of Parabolic-Bottomed Triangle Canals, K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov./Dec. 00, p408-411.

Hydraulic structures

Design of Minimum Seepage Loss Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p28-32.

Hydraulics

Approximating Wetted Perimeter in Power-Law Cross Section, T. S. Strelkoff and A. J. Clemmens, IR Mar./Apr. 00, p98-109.

Chebyshev Solution as Aid in Computing GVF by Standard Step Method, Subhasish Dey, IR July/Aug. 00, p271-274.

Hydraulic Performance of Fish Bypass-Pools for Irrigation Diversion Channels, Athanasios N. Papanicolaou and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

Simple Flume for Flow Measurement in Open Channel, Zohrab Samani and Henry Magallanez, IR Mar./Apr. 00, p127-129.

Solution for a Stream Depletion Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00, p125-126.

Street Storm Water Conveyance Capacity, James C. Y. Guo, IR Mar./Apr. 00, p119-123.

Hydrologic models

Estimation of Surface Volume in Hydrological Models for Border Irrigation, Joaquín Monserrat and Javier Barragán, IR Sept./Oct. 98, p238-247.

Hydrology

Estimating Evaporation from Bare or Nearly Bare Soil, R. L. Snyder, K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403.

Identification

A Priori Identifiability of Unsaturated Soil Parameters, M. S. Ghidaoui and K. S. H. Prasad, IR May/June 00, p163-171.

Inertia

Furrow Irrigation Performance under Spatially Varying Conditions, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Nov./Dec. 00, p355-361.

Infiltration

Border Irrigation Field Experiment. I: Water Balance, Mathew Gilfedder, Luke D. Connell and Russell G. Mein, IR Mar./Apr. 00, p85-91.

Circular Isobaric Cavity in Descending Unsaturated Flow, A. R. Kacimov, IR May/June 00, p172-178.

Furrow Irrigation Performance under Spatially Varying Conditions, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Nov./Dec. 00, p355-361.

Infiltration of Water into Soil with Cracks, V. Novák, J. Šimunek and M. Th. van Genuchten, IR Jan./Feb. 00, p41-47.

Simulating Elevation and Infiltration in Level-Basin Irrigation, N. Zapata and E. Playán, IR Mar./Apr. 00, p78-84.

Time Series Modeling for Predicting Spatially Variable Infiltration, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Sept./Oct. 00, p283-287.

Institutions

Problems of Irrigation in Developing Countries, Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6.

Interactions

Influence Zone of Recharging-Dewatering Actions in Unconfined Aquifer, R. Revelli and L. Ridolfi, IR Mar./Apr. 00, p110-112.

Operational Sensitivity of Irrigation Structures, D. Renault, IR May/June 00, p157-162.

Solution for a Stream Depletion Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00, p125-126.

International development

Water Distribution Management in Small West African Canal Systems, W. Ray Norman, M. Todd Walter, Michael F. Walter and Erin S. Brooks, IR Sept./Oct. 00, p304-313.

Irrigation

Circular Isobaric Cavity in Descending Unsaturated Flow, A. R. Kacimov, IR May/June 00, p172-178.

Infiltration of Water into Soil with Cracks, V. Novák, J. Šimunek and M. Th. van Genuchten, IR Jan./Feb. 00, p41-47.

Optimal Design of Tapered Microirrigation Submain Manifolds, Ajai Singh, R. P. Singh, P. S. Mahar and K. K. Singh, IR Nov./Dec. 00, p371-374.

Irrigation districts

Irrigation District Service in Western United States, C. M. Burt and S. W. Styles, IR Sept./Oct. 00, p279-282.

Simulating Spatially Distributed Water and Salt Balances, L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

Irrigation efficiency

Benefits of Flexible Irrigation Water Supply, Paul R. Cross, P.E., IR Sept./Oct. 00, p275-278.

Water Distribution Management in Small West African Canal Systems, W. Ray Norman, M. Todd Walter, Michael F. Walter and Erin S. Brooks, IR Sept./Oct. 00, p304-313.

Water Reuse in Sequential Basin Irrigation, N. Zapata, E. Playán and J. M. Faci, IR Nov./Dec. 00, p362-370.

Irrigation practices

Problems of Irrigation in Developing Countries, Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6.

Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

Water Distribution Management in Small West African Canal Systems, W. Ray Norman, M. Todd Walter, Michael F. Walter and Erin S. Brooks, IR Sept./Oct. 00, p304-313.

Irrigation scheduling

Evapotranspiration and Crop Coefficients of Wheat and Sorghum Climate in India, N. K. Tyagi, D. K. Sharma and S. K. Luthra, IR July/Aug. 00, p215-222.

Irrigation systems

Comprehensive Design of Minimum Cost Irrigation Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Sept./Oct. 00, p322-327.

Hydraulic Performance of Fish Bypass-Pools for Irrigation Diversion Channels, Athanasios N. Papanicolaou and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

Operational Sensitivity of Irrigation Structures, D. Renault, IR May/June 00, p157-162.

Irrigation water

Field-Scale Observations of Arsenic and Boron in Soil Irrigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

Irrigation District Service in Western United States, C. M. Burt and S. W. Styles, IR Sept./Oct. 00, p279-282.

Optimal Irrigation Allocation: A Multilevel Approach, Sabu Paul, Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156.

Solute Transport Modeling in Overland Flow Applied to Fertigation, P. García-Navarro, E. Playán and N. Zapata, IR Jan./Feb. 00, p33-40.

Lagrange's equations

Optimal Design of Parabolic-Bottomed Triangle Canals, K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov./Dec. 00, p408-411.

Laterals

Adjusted Average Correction Factors for Sprinkler Laterals, Arif A. Anwar, IR Sept./Oct. 00, p296-303.

Inlet Pressure for Horizontal Tapered Laterals, Arif A. Anwar, IR Jan./Feb. 00, p57-63.

Layered soils

Transient Ditch Drainage of Two-Layered Soil, H. C. Sharma, P. N. Kapoor and H. S. Chauhan, IR Jan./Feb. 00, p14-20.

Leaching

Improving Efficiency of Desalinization with Subsurface Drainage, E. G. Youngs and P. B. Leeds-Harrison, IR Nov./Dec. 00, p375-380.

Location

Optimization-Based Simulation and Design of Tile Drainage Systems, Amlan Das, IR Nov./Dec. 00, p381-388.

Rate and Volume of Stream Depletion Due to Pumping, Sushil K. Singh, IR Sept./Oct. 00, p336-338.

Losses

Design of Minimum Seepage Loss Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p28-32.

Louisiana

Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13.

Lysimeters

Evapotranspiration and Crop Coefficients of Wheat and Sorghum Climate in India, N. K. Tyagi, D. K. Sharma and S. K. Luthra, IR July/Aug. 00, p215-222.

Maintenance

Sprinkler Head Maintenance Effects on Water Application Uniformity, Michael J. Louie and John S. Selker, IR May/June 00, p142-148.

Manifolds

Optimal Design of Tapered Microirrigation Submain Manifolds, Ajai Singh, R. P. Singh, P. S. Mahar and K. K. Singh, IR Nov./Dec. 00, p371-374.

Measuring instruments

Simultaneous Flow over and Under a Gate, Vito Ferro, IR May/June 00, p190-193.

Methodology

Simple Method for Confined-Aquifer Parameter Estimation, Sushil K. Singh, IR Nov./Dec. 00, p404-407.

Modeling

Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13.

Furrow Irrigation Performance under Spatially Varying Conditions, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Nov./Dec. 00, p355-361.

Model of Water Application under Pivot Sprinkler. I: Theoretical Grounds, Yves Le Gat and Bruno Molle, IR Nov./Dec. 00, p343-347.

Neural networks

Estimation of FAO Blaney-Criddle *b* Factor by RBF Network, Slavisa Trajkovic, Miomir Stankovic and Branimir Todorovic, IR July/Aug. 00, p268-270.

Nitrates

Nitrate Electromigration in Sandy Soil: Closed System Response, Naglaa Eid, Donald Slack and Dennis Larson, IR Nov./Dec. 00, p389-397.

Nonlinear analysis

Comprehensive Design of Minimum Cost Irrigation Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Sept./Oct. 00, p322-327.

Optimal Channel Cross Section with Composite Roughness, Amlan Das, IR Jan./Feb. 00, p68-72.

Numerical analysis

Chebyshev Solution as Aid in Computing GVF by Standard Step Method, Subhasish Dey, IR July/Aug. 00, p271-274.

Numerical Solution of 2D Free Surface Flow to Ditch Drains in Anisotropic Soils, Vinod Kumar, C. S. Jaiswal and H. S. Chauhan, IR July/Aug. 00, p250-254.

Numerical calculations

Simple Approximation for Flowing Well Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p65-67.

Numerical models

Finite-Element Grid Configurations for Drains, K. C. Tarboton, P.E. and W. W. Wallender, P.E., IR July/Aug. 00, p243-249.

Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.

Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

One dimensional flow

Chebyshev Solution as Aid in Computing GVF by Standard Step Method, Subhasish Dey, IR July/Aug. 00, p271-274.

Open channels
Approximating Wetted Perimeter in Power-Law Cross Section, T. S. Strelkoff and A. J. Clemmens, IR Mar./Apr. 00, p98-109.
Chebyshev Solution as Aid in Computing GVF by Standard Step Method, Subhasish Dey, IR July/Aug. 00, p271-274.
Optimal Channel Cross Section with Composite Roughness, Amlan Das, IR Jan./Feb. 00, p68-72.
Simple Flume for Flow Measurement in Open Channel, Zohrab Samani and Henry Magallanez, IR Mar./Apr. 00, p127-129.

Operation
Operational Sensitivity of Irrigation Structures, D. Renault, IR May/June 00, p157-162.

Optimal design
Optimal Channel Cross Section with Composite Roughness, Amlan Das, IR Jan./Feb. 00, p68-72.
Optimal Design of Parabolic-Bottomed Triangle Canals, K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov./Dec. 00, p408-411.
Optimal Design of Tapered Microirrigation Submain Manifolds, Ajai Singh, R. P. Singh, P. S. Mahar and K. K. Singh, IR Nov./Dec. 00, p371-374.
Optimization-Based Simulation and Design of Tile Drainage Systems, Amlan Das, IR Nov./Dec. 00, p381-388.

Optimization
Design of Minimum Seepage Loss Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p28-32.
Optimal Irrigation Allocation: A Multilevel Approach, Sabu Paul, Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156.
Rate and Volume of Stream Depletion Due to Pumping, Sushil K. Singh, IR Sept./Oct. 00, p336-338.

Optimization models
Optimization-Based Simulation and Design of Tile Drainage Systems, Amlan Das, IR Nov./Dec. 00, p381-388.

Organizational policy
Problems of Irrigation in Developing Countries, Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6.

Outflows
Adjusted Average Correction Factors for Sprinkler Laterals, Arif A. Anwar, IR Sept./Oct. 00, p296-303.
Factor G for Pipelines with Equally Spaced Multiple Outlets and Outflow, Arif A. Anwar, IR Jan./Feb. 99, p34-38.

Overland flow
Solute Transport Modeling in Overland Flow Applied to Fertigation, P. García-Navarro, E. Playán and N. Zapata, IR Jan./Feb. 00, p33-40.

Parameters
A Priori Identifiability of Unsaturated Soil Parameters, M. S. Ghidaoui and K. S. H. Prasad, IR May/June 00, p163-171.
Simple Method for Confined-Aquifer Parameter Estimation, Sushil K. Singh, IR Nov./Dec. 00, p404-407.

Peer review
Journal Needs More New Referees, John C. Guitjens, IR Mar./Apr. 00, p77.

Permeameters
Measurement of Subsurface Unsaturated Hydraulic Conductivity, D. F. Holland, M. Yitayew and A. W. Warrick, IR Jan./Feb. 00, p21-27.

Perturbation
Operational Sensitivity of Irrigation Structures, D. Renault, IR May/June 00, p157-162.

pH
Field-Scale Observations of Arsenic and Boron in Soil Irrigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

Pipeline design
Factor G for Pipelines with Equally Spaced Multiple Outlets and Outflow, Arif A. Anwar, IR Jan./Feb. 99, p34-38.

Ponding
Improving Efficiency of Desalinization with Subsurface Drainage, E. G. Youngs and P. B. Leeds-Harrison, IR Nov./Dec. 00, p375-380.

Pools
Hydraulic Performance of Fish Bypass-Pools for Irrigation Diversion Channels, Athanasios N. Papanicolaou and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

Porous media flow
Optimization-Based Simulation and Design of Tile Drainage Systems, Amlan Das, IR Nov./Dec. 00, p381-388.

Predictions
Time Series Modeling for Predicting Spatially Variable Infiltration, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Sept./Oct. 00, p283-287.

Pressure distribution
Correction Factors for Center Pivots with End Guns, Arif A. Anwar, IR Mar./Apr. 00, p113-118.

Pressures
Adjusted Average Correction Factors for Sprinkler Laterals, Arif A. Anwar, IR Sept./Oct. 00, p296-303.
Inlet Pressure for Horizontal Tapered Laterals, Arif A. Anwar, IR Jan./Feb. 00, p57-63.

Probability
Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov./Dec. 00, p348-354.

Probability distribution
Model of Water Application under Pivot Sprinkler. I: Theoretical Grounds, Yves Le Gat and Bruno Molle, IR Nov./Dec. 00, p343-347.

Pumping
Rate and Volume of Stream Depletion Due to Pumping, Sushil K. Singh, IR Sept./Oct. 00, p336-338.

Rainfall-runoff relationships
Theoretical Justification of SCS Method for Runoff Estimation, Bofu Yu, IR Nov./Dec. 98, p306-310.

Rates
Rate and Volume of Stream Depletion Due to Pumping, Sushil K. Singh, IR Sept./Oct. 00, p336-338.

Recirculation
Hydraulic Performance of Fish Bypass-Pools for Irrigation Diversion Channels, Athanasios N. Papanicolaou and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

Regional analysis
Adjusting Temperature Parameters to Reflect Well-Watered Conditions, B. Temesgen, R. G. Allen and D. T. Jensen, IR Jan./Feb. 99, p26-33.

Regression analysis
Estimation of FAO Blaney-Criddle *b* Factor by RBF Network, Slavisa Trajkovic, Miomir Stankovic and Branimir Todorovic, IR July/Aug. 00, p268-270.

Reviewing
Journal Needs More New Referees, John C. Guitjens, IR Mar./Apr. 00, p77.

Reviews
Water Planning for Food Production in Developing Countries by Phillip Z. Kirpich, Otto J. Helweg, IR May/June 00, p203.

Rice
Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13.

Roughness
Furrow Irrigation Performance under Spatially Varying Conditions, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Nov./Dec. 00, p355-361.
Optimal Channel Cross Section with Composite Roughness, Amlan Das, IR Jan./Feb. 00, p68-72.

Routes
Optimal Design of Tapered Microirrigation Submain Manifolds, Ajai Singh, R. P. Singh, P. S. Mahar and K. K. Singh, IR Nov./Dec. 00, p371-374.

Runoff
Theoretical Justification of SCS Method for Runoff Estimation, Bofu Yu, IR Nov./Dec. 98, p306-310.

Runoff forecasting
Theoretical Justification of SCS Method for Runoff Estimation, Bofu Yu, IR Nov./Dec. 98, p306-310.

Salinity
Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G. Mein and Luke D. Connell, IR Mar./Apr. 00, p92-97.
Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.
Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

Salt balance
Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G. Mein and Luke D. Connell, IR Mar./Apr. 00, p92-97.
Simulating Spatially Distributed Water and Salt Balances, L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

Salt removal
Improving Efficiency of Desalinization with Subsurface Drainage, E. G. Youngs and P. B. Leeds-Harrison, IR Nov./Dec. 00, p375-380.

Sand
Nitrate Electromigration in Sandy Soil: Closed System Response, Naglaa Eid, Donald Slack and Dennis Larson, IR Nov./Dec. 00, p389-397.

Seasonal variations
Adjusting Temperature Parameters to Reflect Well-Watered Conditions, B. Temesgen, R. G. Allen and D. T. Jensen, IR Jan./Feb. 99, p26-33.
Optimal Irrigation Allocation: A Multilevel Approach, Sabu Paul, Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156.

Sediment transport
Influence of Stream-Wise Bed Slope on Sediment Threshold under Stream Flow, Subhasish Dey and Koustuv Debnath, IR July/Aug. 00, p255-263.

Seepage
Circular Isobaric Cavity in Descending Unsaturated Flow, A. R. Kacimov, IR May/June 00, p172-178.
Design of Minimum Seepage Loss Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p28-32.

Sensitivity analysis
Operational Sensitivity of Irrigation Structures, D. Renault, IR May/June 00, p157-162.

Sewer design
Supercritical Flow in Bend Manhole, Giuseppe Del Giudice, Corrado Gisonni and Willi H. Hager, IR Jan./Feb. 00, p48-56.

Shallow water
Border Irrigation Field Experiment. I: Water Balance, Mathew Gilfedder, Luke D. Connell and Russell G. Mein, IR Mar./Apr. 00, p85-91.
Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G. Mein and Luke D. Connell, IR Mar./Apr. 00, p92-97.
Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.
Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

Shape
Comprehensive Design of Minimum Cost Irrigation Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Sept./Oct. 00, p322-327.
Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, D. V. S. Verma and Arun Goel, IR May/June 00, p179-184.

Simulation
Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.

Simulation models
Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov./Dec. 00, p348-354.
Simulating Elevation and Infiltration in Level-Basin Irrigation, N. Zapata and E. Playán, IR Mar./Apr. 00, p78-84.

Size
Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, D. V. S. Verma and Arun Goel, IR May/June 00, p179-184.

Skewed structures

Discharge Characteristics of Skew Sluice Gates, Prabhata K. Swamee, Santosh K. Pathak, Talib Mansoor and Chandra Shekhar P. Ojha, IR Sept./Oct. 00, p328-334.

Soil properties

Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.

Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

Soil water

Field-Scale Observations of Arsenic and Boron in Soil Irrigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

Plant Water Use and Crop Curves for Hybrid Poplars, David J. Gochis and Richard H. Cuenca, IR July/Aug. 00, p206-214.

Soil water movement

Infiltration of Water into Soil with Cracks, V. Novák, J. Šimunek and M. Th. van Genuchten, IR Jan./Feb. 00, p41-47.

Soils, unsaturated

A Priori Identifiability of Unsaturated Soil Parameters, M. S. Ghidaoui and K. S. H. Prasad, IR May/June 00, p163-171.

Solar radiation

Estimating Solar Radiation and Evapotranspiration Using Minimum Climatological Data, Zohrab Samani, IR July/Aug. 00, p265-267.

Solutes

Finite-Element Grid Configurations for Drains, K. C. Tarboton, P.E. and W. W. Wallender, P.E., IR July/Aug. 00, p243-249.

Spatial data

Simulating Elevation and Infiltration in Level-Basin Irrigation, N. Zapata and E. Playán, IR Mar./Apr. 00, p78-84.

Spatial distribution

Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov./Dec. 00, p348-354.

Spillways

Factor G for Pipelines with Equally Spaced Multiple Outlets and Outflow, Arif A. Anwar, IR Jan./Feb. 99, p34-38.

Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, D. V. S. Verma and Arun Goel, IR May/June 00, p179-184.

Sprinkler irrigation

Factor G for Pipelines with Equally Spaced Multiple Outlets and Outflow, Arif A. Anwar, IR Jan./Feb. 99, p34-38.

Inlet Pressure for Horizontal Tapered Laterals, Arif A. Anwar, IR Jan./Feb. 00, p57-63.

Model of Water Application under Pivot Sprinkler. I: Theoretical Grounds, Yves Le Gat and Bruno Molle, IR Nov./Dec. 00, p343-347.

Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov./Dec. 00, p348-354.

Sprinkler Head Maintenance Effects on Water Application Uniformity, Michael J. Louie and John S. Selker, IR May/June 00, p142-148.

Sprinklers

Adjusted Average Correction Factors for Sprinkler Laterals, Arif A. Anwar, IR Sept./Oct. 00, p296-303.

Sprinkler Head Maintenance Effects on Water Application Uniformity, Michael J. Louie and John S. Selker, IR May/June 00, p142-148.

Stilling basins

Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, D. V. S. Verma and Arun Goel, IR May/June 00, p179-184.

Storm runoff

Street Storm Water Conveyance Capacity, James C. Y. Guo, IR Mar./Apr. 00, p119-123.

Stormwater management

Street Storm Water Conveyance Capacity, James C. Y. Guo, IR Mar./Apr. 00, p119-123.

Streambeds

Influence of Stream-Wise Bed Slope on Sediment Threshold under Stream Flow, Subhasish Dey and Koustuv Debnath, IR July/Aug. 00, p255-263.

Streamflow

Influence of Stream-Wise Bed Slope on Sediment Threshold under Stream Flow, Subhasish Dey and Koustuv Debnath, IR July/Aug. 00, p255-263.

Solution for a Stream Depletion Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00, p125-126.

Streams

Rate and Volume of Stream Depletion Due to Pumping, Sushil K. Singh, IR Sept./Oct. 00, p336-338.

Streets

Street Storm Water Conveyance Capacity, James C. Y. Guo, IR Mar./Apr. 00, p119-123.

Structures

Operational Sensitivity of Irrigation Structures, D. Renault, IR May/June 00, p157-162.

Subcritical flow

Theoretical End-Depth-Discharge Relationship for Free Overfall, Vito Ferro, IR Jan./Feb. 99, p40-44.

Submerged flow

Discharge Characteristics of Skew Sluice Gates, Prabhata K. Swamee, Santosh K. Pathak, Talib Mansoor and Chandra Shekhar P. Ojha, IR Sept./Oct. 00, p328-334.

Subsurface drainage

Transient Ditch Drainage of Two-Layered Soil, H. C. Sharma, P. N. Kapoor and H. S. Chauhan, IR Jan./Feb. 00, p14-20.

Subsurface drains

Improving Efficiency of Desalinization with Subsurface Drainage, E. G. Youngs and P. B. Leeds-Harrison, IR Nov./Dec. 00, p375-380.

Supercritical flow

Supercritical Flow in Bend Manhole, Giuseppe Del Giudice, Corrado Gisonni and Willi H. Hager, IR Jan./Feb. 00, p48-56.

Theoretical End-Depth-Discharge Relationship for Free Overfall, Vito Ferro, IR Jan./Feb. 99, p40-44.

Surface irrigation

Estimation of Surface Volume in Hydrological Models for Border Irrigation, Joaquín Monserrat and Javier Barragán, IR Sept./Oct. 98, p238-247.

Simulating Elevation and Infiltration in Level-Basin Irrigation, N. Zapata and E. Playán, IR Mar./Apr. 00, p78-84.

Surface runoff

Water Reuse in Sequential Basin Irrigation, N. Zapata, E. Playán and J. M. Faci, IR Nov./Dec. 00, p362-370.

Surface waters

Estimation of Surface Volume in Hydrological Models for Border Irrigation, Joaquín Monserrat and Javier Barragán, IR Sept./Oct. 98, p238-247.

Taper

Inlet Pressure for Horizontal Tapered Laterals, Arif A. Anwar, IR Jan./Feb. 00, p57-63.

Optimal Design of Tapered Microirrigation Submain Manifolds, Ajai Singh, R. P. Singh, P. S. Mahar and K. K. Singh, IR Nov./Dec. 00, p371-374.

Temperature effects

Estimating Solar Radiation and Evapotranspiration Using Minimum Climatological Data, Zohrab Samani, IR July/Aug. 00, p265-267.

Time series analysis

Time Series Modeling for Predicting Spatially Variable Infiltration, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Sept./Oct. 00, p283-287.

Transient flow

Finite-Element Grid Configurations for Drains, K. C. Tarboton, P.E. and W. W. Wallender, P.E., IR July/Aug. 00, p243-249.

Transport phenomena

Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.

Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

Solute Transport Modeling in Overland Flow Applied to Fertigation, P. García-Navarro, E. Playán and N. Zapata, IR Jan./Feb. 00, p33-40.

Trees

Plant Water Use and Crop Curves for Hybrid Poplars, David J. Gochis and Richard H. Cuenca, IR July/Aug. 00, p206-214.

Trickle irrigation

Factor G for Pipelines with Equally Spaced Multiple Outlets and Outflow, Arif A. Anwar, IR Jan./Feb. 99, p34-38.

Inlet Pressure for Horizontal Tapered Laterals, Arif A. Anwar, IR Jan./Feb. 00, p57-63.

Plant Water Use and Crop Curves for Hybrid Poplars, David J. Gochis and Richard H. Cuenca, IR July/Aug. 00, p206-214.

Turbulence

Hydraulic Performance of Fish Bypass-Pools for Irrigation Diversion Channels, Athanasios N. Papanicolaou and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

Two-dimensional flow

Numerical Solution of 2D Free Surface Flow to Ditch Drains in Anisotropic Soils, Vinod Kumar, C. S. Jaiswal and H. S. Chauhan, IR July/Aug. 00, p250-254.

Uniform flow

Design of Minimum Seepage Loss Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p28-32.

Unsaturated flow

Circular Isobaric Cavity in Descending Unsaturated Flow, A. R. Kacimov, IR May/June 00, p172-178.

Measurement of Subsurface Unsaturated Hydraulic Conductivity, D. F. Holland, M. Yitayew and A. W. Warrick, IR Jan./Feb. 00, p21-27.

Unsteady flow

Influence Zone of Recharging-Dewatering Actions in Unconfined Aquifer, R. Revelli and L. Ridolfi, IR Mar./Apr. 00, p110-112.

Vadose zone

Measurement of Subsurface Unsaturated Hydraulic Conductivity, D. F. Holland, M. Yitayew and A. W. Warrick, IR Jan./Feb. 00, p21-27.

Validation

Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.

Variability

Chebyshev Solution as Aid in Computing GVF by Standard Step Method, Subhasish Dey, IR July/Aug. 00, p271-274.

Simulating Elevation and Infiltration in Level-Basin Irrigation, N. Zapata and E. Playán, IR Mar./Apr. 00, p78-84.

Velocity

Street Storm Water Conveyance Capacity, James C. Y. Guo, IR Mar./Apr. 00, p119-123.

Volume measure

Estimation of Surface Volume in Hydrological Models for Border Irrigation, Joaquín Monserrat and Javier Barragán, IR Sept./Oct. 98, p238-247.

Rate and Volume of Stream Depletion Due to Pumping, Sushil K. Singh, IR Sept./Oct. 00, p336-338.

Water balance

Border Irrigation Field Experiment. I: Water Balance, Mathew Gilfedder, Luke D. Connell and Russell G. Mein, IR Mar./Apr. 00, p85-91.

Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13.

Estimating Evaporation from Bare or Nearly Bare Soil, R. L. Snyder, K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403.

Simulating Spatially Distributed Water and Salt Balances, L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

Water conservation

Simple Flume for Flow Measurement in Open Channel, Zohrab Samani and Henry Magallanez, IR Mar./Apr. 00, p127-129.

Water consumption

Simulating Spatially Distributed Water and Salt Balances, L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

Water discharge

Solution for a Stream Depletion Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00, p125-126.

Water distribution

Irrigation District Service in Western United States, C. M. Burt and S. W. Styles, IR Sept./Oct. 00, p279-282.

Model of Water Application under Pivot Sprinkler. I: Theoretical Grounds, Yves Le Gat and Bruno Molle, IR Nov./Dec. 00, p343-347.

Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov./Dec. 00, p348-354.

Sprinkler Head Maintenance Effects on Water Application Uniformity, Michael J. Louie and John S. Selker, IR May/June 00, p142-148.

Water Distribution Management in Small West African Canal Systems, W. Ray Norman, M. Todd Walter, Michael F. Walter and Erin S. Brooks, IR Sept./Oct. 00, p304-313.

Water flow

Measurement of Subsurface Unsaturated Hydraulic Conductivity, D. F. Holland, M. Yitayew and A. W. Warrick, IR Jan./Feb. 00, p21-27.

Simple Approximation for Flowing Well Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p65-67.

Water management

Optimal Irrigation Allocation: A Multilevel Approach, Sabu Paul, Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156.

Sprinkler Head Maintenance Effects on Water Application Uniformity, Michael J. Louie and John S. Selker, IR May/June 00, p142-148.

Water plans

Water Planning for Food Production in Developing Countries by Phillip Z. Kirpich, Otto J. Helweg, IR May/June 00, p203.

Water pricing

Irrigation District Service in Western United States, C. M. Burt and S. W. Styles, IR Sept./Oct. 00, p279-282.

Water resources management

Water Planning for Food Production in Developing Countries by Phillip Z. Kirpich, Otto J. Helweg, IR May/June 00, p203.

Water reuse

Simulating Spatially Distributed Water and Salt Balances, L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

Water Reuse in Sequential Basin Irrigation, N. Zapata, E. Playán and J. M. Faci, IR Nov./Dec. 00, p362-370.

Water supply

Benefits of Flexible Irrigation Water Supply, Paul R. Cross, P.E., IR Sept./Oct. 00, p275-278.

Water supply systems

Irrigation District Service in Western United States, C. M. Burt and S. W. Styles, IR Sept./Oct. 00, p279-282.

Water Distribution Management in Small West African Canal Systems, W. Ray Norman, M. Todd Walter, Michael F. Walter and Erin S. Brooks, IR Sept./Oct. 00, p304-313.

Water table

Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.

Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

Transient Ditch Drainage of Two-Layered Soil, H. C. Sharma, P. N. Kapoor and H. S. Chauhan, IR Jan./Feb. 00, p14-20.

Water use

Long-Term Evapotranspiration from Coastal Avocado/Citrus Orchard, Mark E. Grismer, IR Jan./Feb. 00, p1-7.

Plant Water Use and Crop Curves for Hybrid Poplars, David J. Gochis and Richard H. Cuenca, IR July/Aug. 00, p206-214.

Waves

Supercritical Flow in Bend Manhole, Giuseppe Del Giudice, Corrado Gisonni and Willi H. Hager, IR Jan./Feb. 00, p48-56.

Weirs

Simultaneous Flow over and Under a Gate, Vito Ferro, IR May/June 00, p190-193.

Wells

Rate and Volume of Stream Depletion Due to Pumping, Sushil K. Singh, IR Sept./Oct. 00, p336-338.

Simple Approximation for Flowing Well Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p65-67.

Solution for a Stream Depletion Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00, p125-126.

Wind forces

Model of Water Application under Pivot Sprinkler. I: Theoretical Grounds, Yves Le Gat and Bruno Molle, IR Nov./Dec. 00, p343-347.

Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov./Dec. 00, p348-354.

AUTHOR INDEX

Ali, R.
Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, with R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233
Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, with R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242

Allen, R. G.
see Temesgen, B., IR Jan./Feb. 99, p26-33

Anwar, Arif A.
Adjusted Average Correction Factors for Sprinkler Laterals, IR Sept./Oct. 00, p296-303
Correction Factors for Center Pivots with End Guns, IR Mar./Apr. 00, p113-118
Factor G for Pipelines with Equally Spaced Multiple Outlets and Outflow, IR Jan./Feb. 99, p34-38
disc: Patrick J. Purcell, IR Mar./Apr. 00, p138-139
clo: IR Mar./Apr. 00, p139-140
Inlet Pressure for Horizontal Tapered Laterals, IR Jan./Feb. 00, p57-63

Ayars, J. E.
see Ali, R., IR July/Aug. 00, p223-233
see Ali, R., IR July/Aug. 00, p234-242

Babaeyan-Koopaei, K.
Optimal Design of Parabolic-Bottomed Triangle Canals, with E. M. Valentine and D. C. Swailes, IR Nov./Dec. 00, p408-411

Bali, K.
see Snyder, R. L., IR Nov./Dec. 00, p399-403

Barragán, Javier
see Monserrat, Joaquín, IR Sept./Oct. 98, p238-247

Brooks, Erin S.
see Norman, W. Ray, IR Sept./Oct. 00, p304-313

Burt, C. M.
Irrigation District Service in Western United States, with S. W. Styles, IR Sept./Oct. 00, p279-282

Burt, Charles M.
see Plusquellec, Herve, (disc), IR Jan./Feb. 99, p1-6

Carlson, H. L.
see Mateos, L., IR Sept./Oct. 00, p288-295

Chahar, Bhagu R.
see Swamee, Prabhata K., IR Jan./Feb. 00, p28-32
see Swamee, Prabhata K., IR Jan./Feb. 00, p65-67
see Swamee, Prabhata K., IR Mar./Apr. 00, p125-126
see Swamee, Prabhata K., IR Sept./Oct. 00, p322-327

Chauhan, H. S.
see Kumar, Vinod, IR July/Aug. 00, p250-254
see Sharma, H. C., IR Jan./Feb. 00, p14-20

Clemmens, A. J.
see Strelkoff, T. S., IR Mar./Apr. 00, p98-109

Connell, Luke D.
see Gilfedder, Mathew, IR Mar./Apr. 00, p85-91
see Gilfedder, Mathew, IR Mar./Apr. 00, p92-97

Cross, Paul R., P.E.
Benefits of Flexible Irrigation Water Supply, IR Sept./Oct. 00, p275-278

Cuenca, Richard H.
see Gochis, David J., IR July/Aug. 00, p206-214

Das, Amlan
Optimal Channel Cross Section with Composite Roughness, IR Jan./Feb. 00, p68-72
Optimization-Based Simulation and Design of Tile Drainage Systems, IR Nov./Dec. 00, p381-388

Debnath, Koustuv
see Dey, Subhasish, IR July/Aug. 00, p255-263

Del Giudice, Giuseppe
Supercritical Flow in Bend Manhole, with Corrado Gisonni and Willi H. Hager, IR Jan./Feb. 00, p48-56

Dey, Subhasish
Chebyshev Solution as Aid in Computing GVF by Standard Step Method, IR July/Aug. 00, p271-274
Influence of Stream-Wise Bed Slope on Sediment Threshold under Stream Flow, with Koustuv Debnath, IR July/Aug. 00, p255-263

Edling, R. J.
see Shah, S. B., IR Jan./Feb. 00, p8-13

Eid, Naglaa
Nitrate Electromigration in Sandy Soil: Closed System Response, with Donald Slack and Dennis Larson, IR Nov./Dec. 00, p389-397

Elliott, R. L.
see Ali, R., IR July/Aug. 00, p223-233
see Ali, R., IR July/Aug. 00, p234-242

Faci, J. M.
see Zapata, N., IR Nov./Dec. 00, p362-370

Faulkner, B. R.
Field-Scale Observations of Arsenic and Boron in Soil Irrigated with Drainwater, with J. C. Guitjens, IR May/June 00, p186-189

Ferro, Vito
Simultaneous Flow over and Under a Gate, IR May/June 00, p190-193
Theoretical End-Depth-Discharge Relationship for Free Overfall, IR Jan./Feb. 99, p40-44
disc: Michael B. Sonnen, IR Mar./Apr. 00, p133-136
clo: IR Mar./Apr. 00, p136-138

García-Navarro, P.
Solute Transport Modeling in Overland Flow Applied to Fertigation, with E. Playán and N. Zapata, IR Jan./Feb. 00, p33-40

Ghidaoui, M. S.
A Priori Identifiability of Unsaturated Soil Parameters, with K. S. H. Prasad, IR May/June 00, p163-171

Gilfedder, Mathew
Border Irrigation Field Experiment. I: Water Balance, with Luke D. Connell and Russell G. Mein, IR Mar./Apr. 00, p85-91
Border Irrigation Field Experiment. II: Salt Transport, with Russell G. Mein and Luke D. Connell, IR Mar./Apr. 00, p92-97

Gisonni, Corrado
see Del Giudice, Giuseppe, IR Jan./Feb. 00, p48-56

Gochis, David J.
Plant Water Use and Crop Curves for Hybrid Poplars, with Richard H. Cuenca, IR July/Aug. 00, p206-214

Goel, Arun
see Verma, D. V. S., IR May/June 00, p179-184

Gomez-MacPherson, H.
see Snyder, R. L., IR Nov./Dec. 00, p399-403

Grigg, Neil S.
disc. (of Problems of Irrigation in Developing Countries, by Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6), IR May/June 00, p195-196

Grismer, Mark E.
Long-Term Evapotranspiration from Coastal Avocado/Citrus Orchard, IR Jan./Feb. 00, p1-7

Guitjens, J. C.
Editorial, IR July/Aug. 00, p205
see Faulkner, B. R., IR May/June 00, p186-189

Guitjens, J. C., P.E.
Editorial, IR May/June 00, p141

Guitjens, John C.
Journal Needs More New Referees, IR Mar./Apr. 00, p77

Guo, James C. Y.
Street Storm Water Conveyance Capacity, IR Mar./Apr. 00, p119-123

Hager, Willi H.
see Del Giudice, Giuseppe, IR Jan./Feb. 00, p48-56

Haman, Dorota Z.
see Kirpich, Phillip Z., IR Jan./Feb. 99, p1-6

Helweg, Otto J.
Water Planning for Food Production in Developing Countries by Phillip Z. Kirpich, IR May/June 00, p203
disc. (of Problems of Irrigation in Developing Countries, by Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6), IR May/June 00, p196-197

Holland, D. F.
Measurement of Subsurface Unsaturated Hydraulic Conductivity, with M. Yitayew and A. W. Warrick, IR Jan./Feb. 00, p21-27

Howell, Terry A.
disc. (of Adjusting Temperature Parameters to Reflect Well-Watered Conditions, by B. Temesgen, R. G. Allen and D. T. Jensen, IR Jan./Feb. 99, p26-33), IR Sept./Oct. 00, p340-342

Istanbullouglu, E.
disc. (of Theoretical Justification of SCS Method for Runoff Estimation, by Bofu Yu, IR Nov./Dec. 98, p306-310), IR Jan./Feb. 00, p74-75

Jaiswal, C. S.
see Kumar, Vinod, IR July/Aug. 00, p250-254

Jensen, D. T.
see Temesgen, B., IR Jan./Feb. 99, p26-33

Kacimov, A. R.
Circular Isobaric Cavity in Descending Unsaturated Flow, IR May/June 00, p172-178

Kapoor, P. N.
see Sharma, H. C., IR Jan./Feb. 00, p14-20

Kirpich, Phillip Z.
Problems of Irrigation in Developing Countries, with Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6
disc: Gabriel J. Tibor, IR May/June 00, p195
disc: Neil S. Grigg, IR May/June 00, p195-196
disc: Otto J. Helweg, IR May/June 00, p196-197
disc: Herve Plusquellec and Charles M. Burt, IR May/June 00, p197-199
disc: John L. Merriam, IR May/June 00, p199-201
clo: IR May/June 00, p201-202

Kumar, D. Nagesh
see Paul, Sabu, IR May/June 00, p149-156

Kumar, Vinod
Numerical Solution of 2D Free Surface Flow to Ditch Drains in Anisotropic Soils, with C. S. Jaiswal and H. S. Chauhan, IR July/Aug. 00, p250-254

Larson, Dennis
see Eid, Naglaa, IR Nov./Dec. 00, p389-397

Le Gat, Yves
Model of Water Application under Pivot Sprinkler. I: Theoretical Grounds, with Bruno Molle, IR Nov./Dec. 00, p343-347
see Molle, Bruno, IR Nov./Dec. 00, p348-354

Leeds-Harrison, P. B.
see Youngs, E. G., IR Nov./Dec. 00, p375-380

Louie, Michael J.
Sprinkler Head Maintenance Effects on Water Application Uniformity, with John S. Selker, IR May/June 00, p142-148

Luthra, S. K.
see Tyagi, N. K., IR July/Aug. 00, p215-222

Magallanez, Henry
see Samani, Zohrab, IR Mar./Apr. 00, p127-129

Mahar, P. S.
see Singh, Ajai, IR Nov./Dec. 00, p371-374

Mansoor, Talib
see Swamee, Prabhata K., IR Sept./Oct. 00, p328-334

Mateos, L.
Simulating Spatially Distributed Water and Salt Balances, with C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295

Maxwell, Adam R.
see Papanicolaou, Athanasios N., IR Sept./Oct. 00, p314-321

Mein, Russell G.
see Gilfedder, Mathew, IR Mar./Apr. 00, p85-91
see Gilfedder, Mathew, IR Mar./Apr. 00, p92-97

Merriam, John L.
disc. (of Problems of Irrigation in Developing Countries, by Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6), IR May/June 00, p199-201

Mishra, Govinda C.
see Swamee, Prabhata K., IR Jan./Feb. 00, p28-32
see Swamee, Prabhata K., IR Jan./Feb. 00, p65-67
see Swamee, Prabhata K., IR Mar./Apr. 00, p125-126
see Swamee, Prabhata K., IR Sept./Oct. 00, p322-327

Molle, Bruno
Model of Water Application under Pivot Sprinkler. II: Calibration and Results, with Yves Le Gat, IR Nov./Dec. 00, p348-354
see Le Gat, Yves, IR Nov./Dec. 00, p343-347

Monserrat, Joaquín
Estimation of Surface Volume in Hydrological Models for Border Irrigation, with Javier Barragán, IR Sept./Oct. 98, p238-247

disc: John D. Valiantzas, IR Mar./Apr. 00, p131-133
clo: IR Mar./Apr. 00, p133

Norman, W. Ray
Water Distribution Management in Small West African Canal Systems, with M. Todd Walter, Michael F. Walter and Erin S. Brooks, IR Sept./Oct. 00, p304-313

Novák, V.
Infiltration of Water into Soil with Cracks, with J. Šimunek and M. Th. van Genuchten, IR Jan./Feb. 00, p41-47

Ojha, Chandra Shekhar P.
see Swamee, Prabhata K., IR Sept./Oct. 00, p328-334

Panda, Sudhindra Nath
see Paul, Sabu, IR May/June 00, p149-156

Papanicolaou, Athanasios N.
Hydraulic Performance of Fish Bypass-Pools for Irrigation Diversion Channels, with Adam R. Maxwell, IR Sept./Oct. 00, p314-321

Pathak, Santosh K.
see Swamee, Prabhata K., IR Sept./Oct. 00, p328-334

Paul, Sabu
Optimal Irrigation Allocation: A Multilevel Approach, with Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156

Playán, E.
see García-Navarro, P., IR Jan./Feb. 00, p33-40
see Zapata, N., IR Mar./Apr. 00, p78-84
see Zapata, N., IR Nov./Dec. 00, p362-370

Plusquellec, Herve
disc. (of Problems of Irrigation in Developing Countries, by Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6) with Charles M. Burt, IR May/June 00, p197-199

Prasad, K. S. H.
see Ghidaoui, M. S., IR May/June 00, p163-171

Priestley, Stephen
disc. (of Theoretical Justification of SCS Method for Runoff Estimation, by Bofu Yu, IR Nov./Dec. 98, p306-310), IR Jan./Feb. 00, p75

Purcell, Patrick J.
disc. (of Factor G for Pipelines with Equally Spaced Multiple Outlets and Outflow, by Arif A. Anwar, IR Jan./Feb. 99, p34-38), IR Mar./Apr. 00, p138-139

Raghuwanshi, N. S.
see Schwankl, L. J., IR Sept./Oct. 00, p283-287
see Schwankl, L. J., IR Nov./Dec. 00, p355-361

Renault, D.
Operational Sensitivity of Irrigation Structures, IR May/June 00, p157-162

Revelli, R.
Influence Zone of Recharging-Dewatering Actions in Unconfined Aquifer, with L. Ridolfi, IR Mar./Apr. 00, p110-112

Ridolfi, L.
see Revelli, R., IR Mar./Apr. 00, p110-112

Samani, Zohrab
Estimating Solar Radiation and Evapotranspiration Using Minimum Climatological Data, IR July/Aug. 00, p265-267
Simple Flume for Flow Measurement in Open Channel, with Henry Magallanez, IR Mar./Apr. 00, p127-129

Schwankl, L. J.
Furrow Irrigation Performance under Spatially Varying Conditions, with N. S. Raghuwanshi and W. W. Wallender, IR Nov./Dec. 00, p355-361
Time Series Modeling for Predicting Spatially Variable Infiltration, with N. S. Raghuwanshi and W. W. Wallender, IR Sept./Oct. 00, p283-287

Selker, John S.
see Louie, Michael J., IR May/June 00, p142-148

Shah, S. B.
Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, with R. J. Edling, IR Jan./Feb. 00, p8-13

Sharma, D. K.
see Tyagi, N. K., IR July/Aug. 00, p215-222

Sharma, H. C.
Transient Ditch Drainage of Two-Layered Soil, with P. N. Kapoor and H. S. Chauhan, IR Jan./Feb. 00, p14-20

Šimunek, J.
see Novák, V., IR Jan./Feb. 00, p41-47

Singh, Ajai
Optimal Design of Tapered Microirrigation Submain Manifolds, with R. P. Singh, P. S. Mahar and K. K. Singh, IR Nov./Dec. 00, p371-374

Singh, K. K.
see Singh, Ajai, IR Nov./Dec. 00, p371-374

Singh, R. P.
see Singh, Ajai, IR Nov./Dec. 00, p371-374

Singh, Sushil K.
Rate and Volume of Stream Depletion Due to Pumping, IR Sept./Oct. 00, p336-338
Simple Method for Confined-Aquifer Parameter Estimation, IR Nov./Dec. 00, p404-407

Slack, Donald
see Eid, Naglaa, IR Nov./Dec. 00, p389-397

Snyder, R. L.
Estimating Evaporation from Bare or Nearly Bare Soil, with K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403

Sonnen, Michael B.
disc. (of Theoretical End-Depth-Discharge Relationship for Free Overfall, by Vito Ferro, IR Jan./Feb. 99, p40-44), IR Mar./Apr. 00, p133-136

Stankovic, Miomir
see Trajkovic, Slavisa, IR July/Aug. 00, p268-270

Stevens, E. W.
see Ali, R., IR July/Aug. 00, p223-233
see Ali, R., IR July/Aug. 00, p234-242

Strelkoff, T. S.
Approximating Wetted Perimeter in Power-Law Cross Section, with A. J. Clemmens, IR Mar./Apr. 00, p98-109

Styles, S. W.
see Burt, C. M., IR Sept./Oct. 00, p279-282

Styles, Stuart W.
see Kirpich, Phillip Z., IR Jan./Feb. 99, p1-6

Swailes, D. C.
see Babaeyan-Koopaei, K., IR Nov./Dec. 00, p408-411

Swamee, Prabhata K.
Comprehensive Design of Minimum Cost Irrigation Canal Sections, with Govinda C. Mishra and Bhagu R. Chahar, IR Sept./Oct. 00, p322-327
Design of Minimum Seepage Loss Canal Sections, with Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p28-32
Discharge Characteristics of Skew Sluice Gates, with Santosh K. Pathak, Talib Mansoor and Chandra Shekhar P. Ojha, IR Sept./Oct. 00, p328-334
Simple Approximation for Flowing Well Problem, with Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p65-67
Solution for a Stream Depletion Problem, with Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00, p125-126

Tarboton, K. C., P.E.
Finite-Element Grid Configurations for Drains, with W. W. Wallender, P.E., IR July/Aug. 00, p243-249

Temesgen, B.
Adjusting Temperature Parameters to Reflect Well-Watered Conditions, with R. G. Allen and D. T. Jensen, IR Jan./Feb. 99, p26-33
disc: Terry A. Howell, IR Sept./Oct. 00, p340-342

Tibor, Gabriel J.
disc. (of Problems of Irrigation in Developing Countries, by Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6), IR May/June 00, p195

Todorovic, Branimir
see Trajkovic, Slavisa, IR July/Aug. 00, p268-270

Trajkovic, Slavisa
Estimation of FAO Blaney-Criddle *b* Factor by RBF Network, with Miomir Stankovic and Branimir Todorovic, IR July/Aug. 00, p268-270

Tyagi, N. K.
Evapotranspiration and Crop Coefficients of Wheat and Sorghum Climate in India, with D. K. Sharma and S. K. Luthra, IR July/Aug. 00, p215-222

Valentine, E. M.
see Babaeyan-Koopaei, K., IR Nov./Dec. 00, p408-411

Valiantzas, John D.
disc. (of Estimation of Surface Volume in Hydrological Models for Border Irrigation, by Joaquín Monserrat and Javier Barragán, IR Sept./Oct. 98, p238-247), IR Mar./Apr. 00, p131-133

van Genuchten, M. Th.
see Novák, V., IR Jan./Feb. 00, p41-47

Ventura, F.
see Snyder, R. L., IR Nov./Dec. 00, p399-403

Verma, D. V. S.
Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, with Arun Goel, IR May/June 00, p179-184

Wallender, W. W.
see Mateos, L., IR Sept./Oct. 00, p288-295
see Schwankl, L. J., IR Sept./Oct. 00, p283-287
see Schwankl, L. J., IR Nov./Dec. 00, p355-361

Wallender, W. W., P.E.
see Tarboton, K. C., P.E., IR July/Aug. 00, p243-249

Walter, M. Todd
see Norman, W. Ray, IR Sept./Oct. 00, p304-313

Walter, Michael F.
see Norman, W. Ray, IR Sept./Oct. 00, p304-313

Warrick, A. W.
see Holland, D. F., IR Jan./Feb. 00, p21-27

Yitayew, M.
see Holland, D. F., IR Jan./Feb. 00, p21-27

Young, C. A.
see Mateos, L., IR Sept./Oct. 00, p288-295

Youngs, E. G.
Improving Efficiency of Desalinization with Subsurface Drainage, with P. B. Leeds-Harrison, IR Nov./Dec. 00, p375-380

Yu, Bofu
Theoretical Justification of SCS Method for Runoff Estimation, IR Nov./Dec. 98, p306-310
disc: E. Istanbullouglu, IR Jan./Feb. 00, p74-75
disc: Stephen Priestley, IR Jan./Feb. 00, p75
clo: IR Jan./Feb. 00, p76

Zapata, N.
Simulating Elevation and Infiltration in Level-Basin Irrigation, with E. Playán, IR Mar./Apr. 00, p78-84
Water Reuse in Sequential Basin Irrigation, with E. Playán and J. M. Faci, IR Nov./Dec. 00, p362-370
see García-Navarro, P., IR Jan./Feb. 00, p33-40